

# System 6A

**Location**

Other metals.

**Description**

Stainless steel & aluminium when painting is required.

**Pre-qualification is not required**

Product	DFT $\mu\text{m}$
Hempadur 15570	50
Hempadur Mastic 45880	100
Hempathane HS 55610	75
Total	225

# System 6B

**Location**

Other metals.

**Description**

Hot dip galvanized steel when painting is required.

**Pre-qualification is not required**

Product	DFT $\mu\text{m}$
Hempadur 15553	50
Hempadur Mastic 45880	100
Hempathane HS 55610	75
Total	225

# System 6C

**Location**

Other metals.

**Description**

Insulated stainless steel piping and vessels at temperatures < 150°C when painting is required.

**Pre-qualification is not required**

Product	DFT $\mu\text{m}$
Hempadur 85671	100
Hempadur 85671	100
Total	200

## NORSOK M-501 coating systems

**Note**<sup>1</sup> = As pre-qualification is not required additional systems may also be recommended. Contact your Hempel representative for further details. This note applies to all of the above systems.

**Note**<sup>2</sup> = Only topcoats pre-qualified in coating system no. 1 shall be used for System 6A and System 6B.

**Note**<sup>3</sup> = When coating stainless steel with a maximum operating temperature > 150°C a high temperature modified coating suitable for the operating temperatures shall be used. This note applies to System 6C only.