



Hempadur Quattro



HEMPEL

HEMPADUR QUATTRO

your reasons why

The HEMPADUR QUATTRO product range takes anticorrosive performance to the highest level, thanks to the tailor-made product features for corrosion protection in different service environments.

Designed for year-round usage - meaning excellent workability during all seasons with the same product - our range of PSPC compliant and abrasion resistant universal pure epoxy primers provides increased simplicity and efficiency for shipyards and ensures superior corrosion protection and reduced maintenance costs for owners and operators.

HEMPADUR QUATTRO for applicators

Simplifies specifications and offers easier application properties and faster drying times:

- Minimum one coat per day - all year round
- One product everywhere - all year round
- Excellent spray properties - all year round
- Available worldwide from all Hempel's stock points

HEMPADUR QUATTRO for owners

Long-term protection and high return on investment:

- Pure epoxy
- Proven and documented performance
- Long lifetime for reduced maintenance costs
- Offers aluminium and fiber pigmentation, more protection
- Extensively certified by all major classification societies
- Low VOC emissions

As you would expect from a HEMPEL product, HEMPADUR QUATTRO is certified to the highest standards in both the marine and industrial sectors.

It is compliant with IMO-PSPC regulations and holds Type Approval Certificates from the major Classification Societies. It also meets grain certification standards as a cargo hold coating, as well as the IMO standard on fire resistance.







A universal primer made to serve and protect

The HEMPADUR QUATTRO range serves the needs of even the most demanding applicators and delivers superior protection and return on investment for owners

The flexible choice - for superior asset protection

The HEMPADUR QUATTRO range comprises a complete and versatile set of products offering different features for tailor-made solutions to different use situations. This ensures dependable performance and value for even the highest performance requirements.

HEMPADUR QUATTRO is suitable for application 365 days a year so applicators can always be sure they are applying the right paint and users don't need to worry about stocking special winter and summer versions. Although best applied by airless spray, HEMPADUR QUATTRO can also be applied by roller or brush when required, e.g. for stripe coating.

And with a typical dry film thickness (DFT) range of 100 to 200 microns per coat, HEMPADUR QUATTRO allows for a wide window of application. The formulation also tolerates high localised DFT, ensuring efficient workflow, even in difficult access areas.

HEMPADUR QUATTRO is available in several distinct colours which offer good contrast to the steel and which, when needed, can be easily overcoated with any topcoat type or colour.



Proven Performance

HEMPADUR QUATTRO has been extensively tested and externally certified to ensure optimum in-service performance in all relevant exposure scenarios. This has been demonstrated in service through thousands of applications amounting to millions of square metres on vessels both for newbuilding and maintenance, as well as on off-shore structures.

So whether your investment is above or below water, HEMPADUR QUATTRO will safeguard it against whatever the elements can throw at it. In short, if it's subject to corrosion, HEMPADUR QUATTRO can protect it.

Effective anywhere, anytime

As a universal anticorrosion primer range, HEMPADUR QUATTRO are tough, longlasting coatings that are equally effective on all main areas of a ship as they are on the steel areas of a power plant or an offshore structure.





HEMPEL was founded in 1915 and is today one of the world's leading suppliers of marine and industrial paints.

Hempel is present in more than 80 countries around the world. We have over 5,200 employees, 24 factories, 48 sales offices and more than 150 stock points located strategically around the globe - and make sure our customers enjoy great service, no matter where they are.

Visit www.hempel.com to discover more about our Ballast tank range and find out which solution best suits your needs.

The Hempel Group Head Office

Hempel A/S
Lundtoftegårdsvej 91
2800 Kgs. Lyngby
Denmark
Phone: +45 45 93 38 00
E-mail: marine@hempel.com
www.hempel.com

