


# Hempaline Defend

Trusted in challenging environments





# Trusted in challenging environments

**Hempel was founded in 1915 and is today one of the world's leading manufacturers and suppliers of high-performance, protective linings. Hempaline Defend is Hempel's dedicated specialty lining brand for the most challenging environments.**

Hempaline Defend provides high performance lining solutions for the aggressive environments found in the power generation and oil and gas industries. Our linings offer superior protection against corrosion, high temperature, extreme abrasion and a wide range of chemical and solvent materials.

Here at Hempel we recognize the need to fully understand the process conditions we are looking to protect against. Before making any recommendation we seek to understand the service environment, considering such factors as temperature, pressure, pH swings and cleaning processes, to ensure the best chance of lining success.

Our Hempaline Defend Epoxy Linings are frequently used on such items as storage tank bottoms, process vessels and secondary containment areas, while our Vinyl Ester range is ideally suited to the protection of power plant FGD ducting, absorbers and other equipment.

Hempaline Defend helps you to increase profits from your assets by maximizing uptime through longer service and reduced maintenance, while minimizing disruption with our fast return to service systems.

We combine our extensive knowledge of your particular business with a focus on the linings challenges you face. This allows us to provide you with trusted lining solutions to extend the life cycle of your assets.







## Areas of use for Vinyl Esters

### Hempaline Defend 500

Suitable as a lining for steel and concrete tanks for chemical processing, chemical storage and wastewater applications. Suited for the lining of stock chests, bleach towers, stacks and Flue Gas Desulfurization (FGD) scrubber systems.

### Hempaline Defend 740

Used as a lining in FGD units (GGH units, absorber outlet ducting, chimney flues etc.) where high temperature and chemical resistance is needed. The product is also intended for chemical storage, or exposure, where acidic media at elevated temperatures and pressures may be experienced such as in oil, gas and chemical processing.

## Areas of use for Epoxies

### Hempaline Defend 400

Excellent resistance to crude oil up to 140°F/60°C, aromatic and aliphatic solvents, aviation fuels and gasoline.

### Hempaline Defend 630

High performance tank lining for the storage of a wide range of petrochemicals including (but not limited to) crude oil up to 200°F/93°C, MTBE, produced water, alcohols, aromatic and aliphatic solvents, aviation fuels, gasoline blends, select acidic and caustic chemicals.

Ask for our comprehensive  
Chemical Resistance Guide.

Airless spray application

### Hempaline Defend 500

A high performance flake filled vinyl ester lining

### Hempaline Defend 740

A high performance Novolac glass flake filled vinyl ester lining

### Vinyl Esters

- Excellent resistance to acidic media
- Suitable for neutralization areas and sumps
- Reinforced Novolac product available for increased chemical and heat resistance



## Hempaline Defend 400

A solvent free, high performance epoxy lining

Airless spray application

Wide chemical resistance

## Hempaline Defend 630

A solvent free, high performance phenolic epoxy lining

## Epoxies

- Produced to a global quality standard
- High performance schemes for both steel and concrete
- Complete product line to meet all project needs
- Improved environmental considerations
- Available as fast return to service 24hr grade
- Reinforced phenolic product available for increased chemical resistance

## Optional primers if required:

### Hempaline Prepare 110

A high performance epoxy sealer for use on concrete\*.

### Hempaline Prepare 120

A two-component vinyl ester sealer for use on steel and concrete.

\*Traditional tank lining primers may be used for epoxy linings before the application of Hempaline Defend coatings as part of a detailed specification.



# The Hempaline Defend advantage

**We understand aggressive environments suffer from extreme pH swings, high abrasion and elevated temperatures.**

Acids, caustics, strong solvents and oil and water mixtures are highly corrosive to steel and concrete.

If undetected this can ultimately lead to loss of containment, safety and environmental concerns.

Our linings have been designed to resist such hostile elements, and more. Hempaline Defend materials are sufficiently flexible for even the largest diameter storage tanks and are also resistant to steam cleaning and other processes.


With rapid curing, our high performance linings will get your asset back in service quicker - often in as little as 24 hours.

For a lining you can trust, look no further than our range of proven Hempaline Defend Linings.





Local linings manufacturing and technical support	>	Fast delivery and experienced on-site support when needed	Simple application, single coat schemes	>	Reduced project durations leading to lower costs
High performance linings based on rigorous testing and real life applications	>	Long service life of assets as well as reduced maintenance	Formulated with globally registered and available raw materials	>	Same quality supplied globally and specifications always met
Rapid cure systems	>	Reduced downtime costs through faster return to service	Health, safety and environmental benefits	>	Reductions in emissions, extended tank inspection and cleaning intervals and improved waste management



**Fast return to service**

A major Middle Eastern gas production facility needed to reline an internal tank bottom. The tank was taken out of service ready for it to be prepared and a new lining installed.

Due to Hempel's local manufacturing and stock availability, the project was successfully completed on time and the unit quickly returned to full production.

“This has helped our projects department and contractor to complete the internal painting and handover of the tank to operations without much delay. Thank you for your prompt solution to our issues.”

Operation projects department

## Hempel makes the grade with refinery crude storage tank lining



A major United States oil refinery chose our Hempaline Defend 630 Solvent Free Phenolic Epoxy Lining as an interior tank lining for a 200 foot / 61 meter diameter sour crude oil storage tank.

With rapid curing, Hempaline Defend 630 returned the customer's tank back to revenue producing service fast, with a lining that can be trusted for lasting corrosion protection.

### At a glance

Customer	Major US Refinery
Coating system	Hempaline Defend 630 SF Phenolic Epoxy Lining
Total	528 gallons / 2,000 liters
Application	Airless spray

## Advanced oil tank corrosion protection for a major US oil company



A major US oil company was experiencing corrosion in its sour crude oil tanks. Chemicals and water in the oil were causing severe pitting and corrosion at the bottom of the storage tanks. To combat this, we recommended Hempaline Defend 500 Vinyl Ester Mat Reinforced Lining. The addition of the reinforcement mat not only affords greater barrier properties but contributes to the materials ability to withstand flexure and impact.

Our products have provided proven long term performance for the customer who now specifies Hempaline Defend Linings for all its crude oil tanks.

### At a glance

Customer	Major US oil company
Lining system	Hempaline Defend 500 Vinyl Ester with mat reinforcement
Total	607 gallons / 2,300 liters







Since 1915 Hempel has been a world-leading coatings specialist, providing protection and inspiration to the world around us. Today we have over 5,500 people in 80 countries delivering trusted solutions in the protective, decorative, marine, container, industrial and yacht markets. This includes many recognized brands like Crown Paints, Schaeppman and Jones-Blair.

Hempel is proudly owned by the Hempel Foundation, which supports cultural, humanitarian and scientific causes across the world.

**North America Corporate Office  
Hempel (USA), Inc.**

600 Conroe Park North Dr.  
Conroe, TX 77303  
United States  
Tel: +1 936 523 6000  
Email: [hempel.us@hempel.com](mailto:hempel.us@hempel.com)

**Hempel (Canada) Inc.**

# 111 - 19097 26th Avenue  
Surrey, BC V3Z 3V7  
Canada  
Toll Free: +1 800 661 3201  
Email: [hempel.ca@hempel.com](mailto:hempel.ca@hempel.com)

**Pinturas Hempel de México S.A. de C.V.**

Arrayanes entre Encino y Laurel Lote 23  
Manzana III  
Cd. Industrial Bruno Pagliani  
Veracruz, Ver. CP 91750  
México  
Tel: +52 229 923 4860  
Email: [sales.mx@hempel.com](mailto:sales.mx@hempel.com)