

# Premium coating advisory

#### **Protective**



# Description

Hempel's premium coating advisory is designed for customers that want complete coating application oversight and advice during the entire project execution. This service helps reduce later maintenance cost and asset downtime for asset owners and supports a reduction in application cost and time for applicators and fabricators.

This service is a combination of full time project support and detailed inspection documentation. The services included in the premium service package are described below.



# Coating advisor

The coating advisor will be available full time for the entire duration of the project; from the start to the finish. The coating advisor will be on-site to inspect and advise on every step of the project.

Progress reports will be issued daily to be able to track the progress of the project. A final report will also be distributed at the end of the project.

# Step 1 - Pre-project inspection

#### The main check points to be conducted prior to the start of the project.

- Pre-project briefing to explain the paint specification.
- Visual inspection prior to the start of any work on the actual condition of existing coating system, broken down per main area, in percentage and type of break down.
- Verification of suitability of the specification based on the inspection of the actual condition of the existing coating system. Advise on recommended adjustments to the specification, if necessary.
- Verification of the paint order, thinners, cleaning agents etc., including recommended adjustments, that have been approved by the customer.
- Distribution of specification and relevant PDS to stakeholders in charge of the projects, including verbal and/or written explanation on key specification notes and product requirements.

# Step 2 - Surface preparation inspection

The coating advisor is present full time throughout the surface preparation process. The areas where the coating advisor's presence is needed, should be provided in advance. If additional areas are agreed on site, such will be noted in the progress reports.

Equipment Inspection	Check of quality, capacity and quantity of equipment. If found to be out of acceptable range, advise on corrective action.
	Document the results, the recommended corrective actions and whether or not they were implemented in the progress/final report.
Low/high pressure fresh water cleaning and degreasing	Photo documentation of agreed surface preparation grade in progress/final report for each surface preparation method.
High pressure water jetting/ Ultra high pressure water jetting	Check the result of surface preparation against agreed preparation grade for each surface preparation method. If necessary, recommend corrective action.
Mechanical surface preparation	Document the results, the recommended corrective actions and whether or not they were implemented in the progress/final report.

Abrasive sweeping/blastin		Photo documentation of agreed surface preparation grade in progress/final report.
	Abrasica supersizer/blacking	Check the result of surface preparation against agreed preparation grade and if necessary, recommend corrective action.
	Abrasive sweeping/blasting	Check the achieved surface profile/roughness, if specified, and if necessary, recommend corrective action.
		Document the results, the recommended corrective actions and whether or not they were implemented in the progress/final report.

The coating advisor is present full time throughout application process. The areas where the coating advisor's presence is

#### Step 3 - Application inspection

needed should be provided in advance. If additional areas are agreed on site, such will be noted in the progress reports. Prepare paint distribution plan with consumption per main area for each full coat. Paint consumption control Check and report, if paint consumption is according to the paint distribution plan. Report total consumption in final report. Check and report microclimate. If found to be out of acceptable range, advise on corrective action. Microclimate Document the results, the recommended corrective actions and whether or not they were implemented in the progress/final report. Check and report correct mixing ratio, induction time and stirring. If necessary, advise on corrective action. Check and report film formation. If necessary, advise on corrective action. **Application** Check and report batch numbers. If necessary, advise on corrective action. Check and report application equipment and technique i.e. airless, brush, roller, nozzle orifice, etc. Advise as needed. Document the results, the recommended corrective actions and whether or not they were implemented in the progress/final report. Check and report that overcoating intervals are kept within specification. If necessary, advise on corrective action. Overcoating intervals

Document the results, the recommended corrective actions and whether or not they were

Document the results, the recommended corrective actions and whether or not they were

Check and report DFT periodically or according specification. If found to be out of acceptable

# Step 4 - Final inspection

Dry film thickness (DFT)

#### The main check points conducted when the project has been completed are listed below.

implemented in the progress/final report.

implemented in the progress/final report.

range, advise on corrective action.

Check and report the overall final appearance of coating work.

Check and report total DFT. Advise on corrective action if not according to specification.

Advise on time before taking object into use.

# Step 5 - Reporting

#### Report types and frequency are listed below

Progress reports will be written and distributed daily by email.

A final report including the progress reports will be distributed by email when the coating advisor's inspections are completed.

#### Conditions

Hempel's Technical Service is provided subject to this Technical Service Data Sheet and the current version of Hempel's General Conditions of Sale, Delivery and Service.

Technical Service consists of surveying on site, advising, and reporting to the customer, as described in this Technical Service Data Sheet, on the project progress and the conformity of the application of Hempel products with the product documentation consisting of project specification (where applicable), Product Specification, Product Data Sheets, Material Safety Data Sheets and any other product information provided by Hempel in writing, to aid the customer's acceptance of work. Any additions or changes to the scope of services defined herein shall be agreed upon in writing, by all parties involved, before the start of a project.

Hempel's Technical Service is provided by Hempel's coating advisors. Hempel's coating advisor will be ensured by the customer:

- · Appropriate access to the work site according to local HSE regulation(s) and project schedule
- Safe working environment and site-specific safety training
- The use of access equipment, inside the coating advisor's competences
- · Access to an approved customer representative for site decisions and corrective actions

If the customer fails to ensure the above access, security and health conditions to the satisfaction of the coating advisor, the coating advisor is entitled to suspend performance of its services with immediate effect until the conditions have been met, following a written notice hereof to the customer, without being in breach or otherwise liable for any failure or delay in the performance of its services obligations.

#### Limitation of Liability

Hempel's liability for the provision of Technical Services shall at any time be limited to the value of the Technical Services provided by Hempel for which the customer has paid.